

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Mizuya MATSUFUJI

Appl. No.: To Be Assigned (U.S. National Phase of  
PCT Appl. No. PCT/JP2005/3629; Int'l Appl. Filed: March  
3, 2005)

Filed: Herewith

For: **Hydraulic Valve Equipment of Working  
Vehicle**

Confirmation No.: To Be Assigned

Art Unit: To Be Assigned

Examiner: To Be Assigned

Atty. Docket: 0666.2980000/TGD/CMR

**Authorization to Treat a Reply as Incorporating an  
Extension of Time Under 37 C.F.R. § 1.136(a)(3)**Commissioner for Patents  
PO Box 1450  
Alexandria, VA 22313-1450

Sir:

The U.S. Patent and Trademark Office is hereby authorized to treat any concurrent or future reply that requires a petition for an extension of time under this paragraph for its timely submission, as incorporating a petition for extension of time for the appropriate length of time. The U.S. Patent and Trademark Office is hereby authorized to charge all required extension of time fees to our Deposit Account No. 19-0036, if such fees are not otherwise provided for in such reply.

Respectfully submitted,

STERNE, KESSLER, GOLDSTEIN &amp; FOX P.L.L.C.

Tracy-Gene G. Durkin  
Attorney for Applicant  
Registration No. 32,831Date: September 15, 20061100 New York Avenue, N.W.  
Washington, D.C. 20005-3934  
(202) 371-2600